	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	401	702/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
2	BRS	1893	375/130,140,353,317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
3	BRS	3686	327/67,73,87,93,94,95,96,1 00,193,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
4	BRS	455	702/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
5	BRS	2006	375/130,140,353,317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:08	
6	BRS	3714	327/67,73,87,93,94,95,96,1 00,193,527.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/26 15:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	20732	(analys$3 or analyz$3) with input with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:14	
8	BRS	1918	(analys$3 or analyz$3) with input with signal$1 and (detect$3 or determin$3 or monitor$3 or sens$3) with event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:15	
9	BRS	1	(analys$3 or analyz$3) with input with signal$1 and (detect$3 or determin$3 or monitor$3 or sens$3) with event$1 with (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	3	(analys$3 or analyz$3) with input with signal$1 and (detect$3 or determin$3 or monitor$3 or sens$3) with event$1 same (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:19	
11	BRS	2	(analys$3 or analyz$3) with input with signal$1 and event$1 with (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	28	input with signal$1 and event$1 with (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:20	
13	BRS	2	input with signal$1 and event$1 with (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1 and shift$3 with space$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:21	
14	BRS	3	input with signal$1 and event$1 with (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1 and shift$3 with spac$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	4	input with signal$1 and event$1 with (predetermined or threshold$1 or desired or expected or limit$3 or preset$4 or predefined or preselect$3) with level$1 with slope$1 and shift$3 with event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:24	
16	BRS	1602	multiple with incoming with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:25	
17	BRS	100	multiple with version with (receiv$3 or incoming) with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:25	
18	BRS	2	multiple with version with (receiv$3 or incoming) with signal$1 and slop$3 with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:27	
19	BRS	5	multiple with version with (receiv$3 or incoming) with signal$1 and slop$3 same level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	3064	signal$1 with slop$3 with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:27	
21	BRS	433	signal$1 with predetermined with slop$3 with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:28	
22	BRS	39	input$3 with signal$1 with predetermined with slop$3 with level$1 and shift$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:28	
23	BRS	119	input$3 with signal$1 with predetermined with slop$3 with level$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 15:32	
24	BRS	14	input$3 with signal$1 with predetermined with slop$3 with level$1 and version$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:06	
25	BRS	1	input$3 with signal$1 with predetermined with slop$3 with level$1 and shift$3 with statistic$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
26	BRS	39	input$3 with signal$1 with predetermined with slop$3 with level$1 and shift$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:09	
27	BRS	12	input$3 with signal$1 with predetermined with slop$3 with level$1 and tim$3 with shift$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:50	
28	BRS	12	input$3 with signal$1 with predetermined with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:23	
29	BRS	14	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	2	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3) not S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:25	
31	BRS	95	input$3 with signal$1 and (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3) not S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:26	

Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	65	input$3 with signal$1 and (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3) and (mix$5 or combin$6) with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:26	
33	BRS	29	input$3 with signal$1 and (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3) and event$1 and (mix$5 or combin$6) with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	11	input$3 with signal$1 and (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3) and statist$6 and (mix$5 or combin$6) with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:58	
35	IS&R	2	("6539320").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:37	
36	IS&R	2	("4387465").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
37	BRS	1	input$3 with signal$1 and (preset$4 or predefined or preselect$3 or predetermined) with slop$3 with level$1 and (time-shift or timing-shift or timing-shifting or timing-shifting or tim$3 with shift$3) with cop$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 16:55	
38	BRS	16	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (time-shift or timing-shift or timing-shifting or timing-shifting or tim$3 with shift$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:06	
39	BRS	1	"3569843".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:05	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	22	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3 or tim$3 adj delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:06	
41	BRS	6	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (time-shift or timing-shift or time-shifting or timing-shifting or tim$3 with shift$3 or tim$3 adj delay$3) not S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	5	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:10	
43	BRS	448	input$3 with signal$1 and (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:10	
44	BRS	77	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:11	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	14	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 same (delay$3 or shift$3) with tim$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:11	
46	BRS	0	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 with (overlap or superimpose$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	
47	BRS	18	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 and (overlap or superimpose$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	14	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 reference) with level$1 and (delay$3 or shift$3) with tim$3 and superimpose$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	
49	BRS	21	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 and (overlap$4 or superimpose$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:12	
50	BRS	0	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 same (overlap$4 or superimpose$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
51	BRS	2	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 and (overlap$4 or superimpose$1) with frequenc$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:13	
52	BRS	2	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 and (overlap$4 or superimpose$1) with waveform$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	16	input$3 with signal$1 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 and (overlap$4 or superimpose$1) and event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:18	
54	BRS	3	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 with event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:19	
55	BRS	6	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 same event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
56	BRS	15	input$3 with signal$1 and cross$3 with (preset$4 or predefined or preselect$3 or predetermined or reference) with slop$3 with level$1 and (delay$3 or shift$3) with tim$3 and event$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/26 17:19	